

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		<u>Description</u>	
<b>LAWSON ELEMENTARY SCHOOL</b> <b>1105 FAIRGROUNDS RD</b> <b>JEFFERSON CITY, MO 65109</b>			
	Occurred	Description	Status
ROUTINE INSPECTION	03/14/16	OBSERVED: No sanitizer present in the mechanical dish washer,	CRITICAL
		*** Called was placed for repair while on site***	
	Occurred	Description	Status
FOLLOW-UP INSPECTION	03/23/16		
0		No Violations Cited	
<b>MOREAU HEIGHTS ELEMENTARY SCHOOL</b> <b>1410 HOUGH PARK ST</b> <b>JEFFERSON CITY, MO 65101</b>			
	Occurred	Description	Status
ROUTINE INSPECTION	03/03/16		
0		No Violations Cited	
<b>SIMONSEN JUNIOR HIGH SCHOOL</b> <b>501 E MILLER ST</b> <b>JEFFERSON CITY, MO 65101</b>			
	Occurred	Description	Status
ROUTINE INSPECTION	03/22/16		
		OBSERVED: Vent hood had accumulation of debris present.	NON-CRITICAL
<b>SOUTH ELEMENTARY SCHOOL</b> <b>707 LINDEN DR</b> <b>JEFFERSON CITY, MO 65109</b>			
	Occurred	Description	Status
ROUTINE INSPECTION	03/08/16		
0		No Violations Cited	
<b>THOMAS JEFFERSON MIDDLE SCHOOL</b> <b>1201 FAIRGROUNDS RD</b> <b>JEFFERSON CITY, MO 65109</b>			
	Occurred	Description	Status
ROUTINE INSPECTION	03/09/16		
0		No Violations Cited	
<b>SAINT JOSEPH ELEMENTARY SCHOOL</b> <b>2303 W MAIN ST</b> <b>JEFFERSON CITY, MO 65109</b>			
	Occurred	Description	Status
ROUTINE INSPECTION	03/09/16		
		OBSERVED: diced chicken on salad bar above required 41 F, no ice present under product	NON-CRITICAL
		CORRECTED ON SITE: ice placed under displayed food, manager will monitor for proper temperature	
<b>SAINT PETERS ELEMENTARY SCHOOL</b> <b>314 W HIGH ST</b> <b>JEFFERSON CITY, MO 65101</b>			
	Occurred	Description	Status
ROUTINE INSPECTION	03/08/16		
0		No Violations Cited	

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
<b>TRINITY LUTHERAN ELEMENTARY SCHOOL</b>			
<b>803 SWIFTS HWY</b>			
<b>JEFFERSON CITY, MO 65109</b>	Occurred	Description	Status
ROUTINE	03/07/16		
INSPECTION			
0		No Violations Cited	
<b>BREAK TIME #3043</b>			
<b>810 STADIUM BLVD</b>			
<b>JEFFERSON CITY, MO 65109</b>	Occurred	Description	Status
ROUTINE	03/22/16		
INSPECTION			
		OBSERVED: no soap provided for employee use at new hand wash sink station	NON-CRITICAL
		OBSERVED: no paper towels provided for employee use at new hand wash sink station	NON-CRITICAL
<b>BREAK TIME #3044</b>			
<b>3000 W TRUMAN BLVD</b>			
<b>JEFFERSON CITY, MO 65109</b>	Occurred	Description	Status
ROUTINE	03/03/16		
INSPECTION			
0		No Violations Cited	
<b>BREAK TIME #3050</b>			
<b>1907 E MCCARTY ST</b>			
<b>JEFFERSON CITY, MO 65101</b>	Occurred	Description	Status
ROUTINE	03/21/16		
INSPECTION			
		OBSERVED: ladies restroom door is not self-closing, adjust	NON-CRITICAL
		OBSERVED: service counter doors and hinges loose; interior of lower cabinet is cracked and water damaged, replace/repair	NON-CRITICAL
		OBSERVED: unshielded light bulbs present in walk in cooler with opened boxes of franks, etc	NON-CRITICAL
		OBSERVED: damaged walls behind ice maker and near restrooms, repair	NON-CRITICAL
		OBSERVED: drain line piping from drink station runs across floor in back storeroom, remove piping from flooring during remodel to facilitate cleaning and maintenance	NON-CRITICAL
<b>TOWNE GRILL</b>			
<b>315 JEFFERSON ST</b>			
<b>JEFFERSON CITY, MO 65101</b>	Occurred	Description	Status
ROUTINE	03/29/16		
INSPECTION			
0		No Violations Cited	
<b>CASEY'S GENERAL STORE</b>			
<b>102 EASTLAND DR</b>			
<b>JEFFERSON CITY, MO 65101</b>	Occurred	Description	Status
ROUTINE	03/28/16		
INSPECTION			
		OBSERVED: Bottom of the make cooler had food debris present	NON-CRITICAL
		OBSERVED: Seals on the make cooler had food debris present	
		OBSERVED: Make Table lid had dried on food debris present	
		OBSERVED: Soda machine diffusers had debris present	

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name &amp; Address

Description**CHINA WOK****520 ELLIS BLVD L****JEFFERSON CITY, MO 65101**

Occurred

FOLLOW-UP 03/02/16

INSPECTION

0

Description

Status

No Violations Cited

**CONVENIENT FOOD MART****701 EASTLAND DR****JEFFERSON CITY, MO 65101**

Occurred

ROUTINE 03/04/16

INSPECTION

Description

Status

OBSERVED: Seal on the Master Bilt Cooler is torn.

NON-CRITICAL

OBSERVED: Shelf in the True Cooler has debris present

NON-CRITICAL

OBSERVED: Soda machine on the Pepsi side of the machine has splatter and debris

OBSERVED: Popcorn on the floor around the popcorn machine.

NON-CRITICAL

**DOLLAR GENERAL STORE #1433****2114 SCHOTTHILL WOODS DR****JEFFERSON CITY, MO 65101**

Occurred

ROUTINE 03/18/16

INSPECTION

0

Description

Status

No Violations Cited

**DOMINO'S PIZZA****3732 W TRUMAN BLVD****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE 03/01/16

INSPECTION

Description

Status

OBSERVED: No covered trash can in employee bathroom.

NON-CRITICAL

**EL JIMADOR****2930 W EDGEWOOD DR****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE 03/11/16

INSPECTION

Description

Status

OBSERVED: some kitchen ceiling tiles are stained or soiled with food splatters, dust, etc; [replace]

NON-CRITICAL

OBSERVED: walk in cooler at minimal safe food temp but excessive ice/frost is covering the fan covers and condenser; [service unit]

NON-CRITICAL

OBSERVED: door gaskets torn or missing on several pieces of equipment including Coke 3 door cooler and meat table cooler; [replace]

NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

**EL JIMADOR INC**  
**1410 MISSOURI BLVD X**  
**JEFFERSON CITY, MO 65109**

ROUTINE 03/07/16  
 INSPECTION

Description

Description	Status
OBSERVED: bottom of veggie prep table cooler has a cracked plastic bottom, traps moisture; several walk in cooler racks/shelving are badly rusted, need replacement	NON-CRITICAL
OBSERVED: missing drain plug on trash dumpster, leaks onto parking lot	NON-CRITICAL
OBSERVED: employee restroom door is not self-closing as required	NON-CRITICAL

**FIREHOUSE SUBS**  
**2103 MISSOURI BLVD STE D**  
**JEFFERSON CITY, MO 65109**

ROUTINE 03/14/16  
 INSPECTION

Description	Status
OBSERVED: chili below required 135 F in steam table; meatballs below required 135 F in steam table	CRITICAL
CORRECTED: manager reheated chili and meatballs while on site; manager needs to verify compliance daily	

FOLLOW-UP 03/22/16  
 INSPECTION  
 0

Description	Status
No Violations Cited	

**HYVEE FOOD STORE-GROCERY**  
**3721 W TRUMAN BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE 03/16/16  
 INSPECTION

Description	Status
OBSERVED: M&M display on the grocery floor.	NON-CRITICAL
OBSERVED: Flour on the display shelf	NON-CRITICAL
OBSERVED: Bottom of reach in freezers (Under the microwave meals, in front of the whole turkeys, under vegetables) have debris present.	

**JC MART**  
**105 W DUNKLIN ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE 03/22/16  
 INSPECTION

Description	Status
OBSERVED: Seal on the Walk In Cooler door is torn.	NON-CRITICAL
OBSERVED: Fan covers in the Walk In Cooler had dust accumulation	NON-CRITICAL
OBSERVED: Blue Bunny chest freezer has debris inside and on the edges of the cooler	
OBSERVED: Coffee machine had debris present	

**JC PIZZA COMPANY**  
**1508 E MCCARTY ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE 03/23/16  
 INSPECTION

Description	Status
OBSERVED: loose floor tile present in front of ice maker, reapply/seal	NON-CRITICAL
OBSERVED: dish machine sanitizer tests insufficient, well below 50 ppm chlorine	CRITICAL

FOLLOW-UP 03/31/16  
 INSPECTION

Description	Status
OBSERVED: previous floor tile repair violation currently remains	NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
<b>JEFFERSON CITY DAIRY QUEEN GRILL N CHILL</b>			
<b>2114 MISSOURI BLVD</b>			
<b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 03/16/16	Description	Status
		OBSERVED: front cold kitchen hand sink missing, awaiting contractor to reinstall	NON-CRITICAL
		OBSERVED: ceramic coved base tile missing from wall in several locations such as across from mop sink and near blast freezer	NON-CRITICAL
		OBSERVED: cold kitchen large dessert dress table cooler running above 45 F, no potentially hazardous foods were present nor can be added until cooler is adjusted to 41 F or lower	NON-CRITICAL
		OBSERVED: unused equipment storage and leaf litter present in dumpster enclosure	NON-CRITICAL
<b>LEE'S FAMOUS RECIPE</b>			
<b>1550 MISSOURI BLVD</b>			
<b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 03/23/16	Description	Status
0		No Violations Cited	
<b>LITTLE CAESARS PIZZA</b>			
<b>2407 MISSOURI BLVD X</b>			
<b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 03/08/16	Description	Status
		OBSERVED: drain cover missing over drain in dish room.	NON-CRITICAL
		OBSERVED: single service items boxes and pizza boxes stored on floor.	NON-CRITICAL
		OBSERVED: large chest freezer lid insulation exposed/ lid in disrepair.	CRITICAL
		OBSERVED: disposable paper towels needed in employee bathroom.	NON-CRITICAL
		OBSERVED: Dish rack for clean dish storage is not clean.	NON-CRITICAL
		OBSERVED: Door tracks and soda racks in pepsi cooler not clean.	NON-CRITICAL
		OBSERVED: several floor tiles in facility in disrepair.	NON-CRITICAL
		OBSERVED: numerous light cover missing/broken in food preparation areas of kitchen.	NON-CRITICAL
<b>MI TOLTECA MEXICAN RESTAURANT</b>			
<b>1850 C STE E</b>			
<b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 03/21/16	Description	Status
		OBSERVED: ladies restroom has no covered trash receptacles present, all lids are missing	NON-CRITICAL
		OBSERVED: carnitas, prepared the day before, above 50 F in walk in cooler; found in large, deep pan with lid covering	CRITICAL
		OBSERVED: non-functional convection oven and 2 door Victory reach in freezer being stored inside kitchen, remove from premise	NON-CRITICAL
		OBSERVED: pallets and old counter tops piled behind dumpster area are sliding down the hill, remove	NON-CRITICAL
		OBSERVED: short wall between triple dish sink and cooking equipment/hood is badly deteriorated, needs replacement/repairs	NON-CRITICAL
		OBSERVED: walls around ice maker are covered in dust/lint	NON-CRITICAL
		OBSERVED: kitchen air vent by dish machine soiled with dripping fluid/grease?	NON-CRITICAL
		OBSERVED: exterior hood exhaust fan has dripping oil/grease present on side of building	NON-CRITICAL
		OBSERVED: hand sink in bar blocked from usage by storage of spare equipment parts in sink	NON-CRITICAL
		OBSERVED: dish machine not pumping sanitizer from storage bucket	CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

Description

into dish tank

OBSERVED: door gasket on meat prep table missing in long lengths NON-CRITICAL

Description

Status

Occurred

03/28/16

FOLLOW-UP  
INSPECTION

OBSERVED: restroom trash receptacles now have lids [ok]

NON-CRITICAL

OBSERVED: non-functional convection oven and 2 door Victory

NON-CRITICAL

reach in freezer being stored inside kitchen until they can be removed

OBSERVED: pallets and old counter tops that were sliding down the hill have been removed from the hill and placed behind the dumpster, still need to be removed from premise

OBSERVED: hand sink in bar blocked from usage by storage of spare equipment parts in sink and bucket in sink NON-CRITICAL

OBSERVED: door gasket on meat prep table missing in long lengths, needs new gasket NON-CRITICAL

OBSERVED: carnitas now cooled and stored in 2 inch pans in walk in cooler instead of 6 inch pan [ok] CRITICAL

OBSERVED: short wall between triple sink and cook line is badly deteriorated, awaiting contractor to repair according to manager NON-CRITICAL

OBSERVED: kitchen air vent by dish machine is soiled and has lost all protective paint, to be replaced by contractor when short wall is replaced

OBSERVED: dish machine not pumping sanitizer from storage bucket into dish tank consistently, call serviceman CRITICAL

OBSERVED: walls around ice maker have been cleaned of dust [ok] NON-CRITICAL

OBSERVED: exterior hood exhaust fan and building exterior have been cleaned of deposited grease previously present [ok]

Description

Status

Occurred

03/31/16

FOLLOW-UP  
INSPECTION

OBSERVED: meat table door gasket condition violation remains

NON-CRITICAL

OBSERVED: triple sink wall repair violation currently remains

NON-CRITICAL

OBSERVED: condition of kitchen air vent violation currently remains

OBSERVED: inside storage of non-functional equipment violation remains NON-CRITICAL

OBSERVED: outside storage of pallets and furniture violation remains

**NICK'S FAMILY RESTAURANT**  
**500 AIRPORT RD X**  
**JEFFERSON CITY, MO 65101**

Occurred

03/23/16

ROUTINE  
INSPECTION  
0

Description

Status

No Violations Cited

**SCHULTES FRESH FOODS--GROCERY**  
**1904 SOUTHWEST BLVD**  
**JEFFERSON CITY, MO 65109**

Occurred

03/23/16

ROUTINE  
INSPECTION  
0

Description

Status

No Violations Cited

**SNO-BIZ**  
**801 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

Occurred

03/24/16

ROUTINE  
INSPECTION

Description

Status

OBSERVED: light not present in employee bathroom.

NON-CRITICAL

OBSERVED: disposable paper towels absent from bathroom and hand wash sink.

NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

Description

**STEAK 'N SHAKE**  
**2519 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE INSPECTION	Occurred 03/09/16	Description	Status
		OBSERVED: front dress table foods above required 41 F	CRITICAL
		OBSERVED: beef pucks in puck cooler above 41 F	
		OBSERVED: milk in milk dispenser in servers cold kitchen above 41	
		OBSERVED: cheese below required 135 F in kitchen cheese dispenser	
		OBSERVED: units for front dress table, servers cold kitchen milk dispenser, and puck cooler do not hold required 41 F or lower	NON-CRITICAL
		OBSERVED: kitchen cheese dispenser does not hold at 135 F or higher	
		OBSERVED: dust present on walk in cooler lights and fan covers, heavy dust present on utility line running above front dress table	NON-CRITICAL
		OBSERVED: heavy icing present on walk in freezer fan covers and ceiling almost to point of full blockage	
		OBSERVED: door gaskets torn or missing on various units including puck cooler and breakfast cooler	NON-CRITICAL
		OBSERVED: servers soda heads are soiled; interior cabinet of fryers is soiled	NON-CRITICAL
		OBSERVED: coved base tiles missing throughout store, not limited to restrooms and kitchen	NON-CRITICAL

FOLLOW-UP INSPECTION	Occurred 03/30/16	Description	Status
		OBSERVED: coved base tiles missing throughout store, not limited to restrooms and kitchen	NON-CRITICAL
		OBSERVED: dust has been cleaned from the walk in cooler fan covers and lights [ok]	NON-CRITICAL
		OBSERVED: heavy dust present on utility line running above front dress table has been cleaned [ok]	
		OBSERVED: heavy icing present on walk in freezer fan covers and ceiling almost to point of full blockage	
		OBSERVED: servers soda heads have been cleaned [ok]	NON-CRITICAL
		OBSERVED: interior cabinet of fryers is soiled, to be cleaned when hoods are done	
		OBSERVED: door gaskets torn or missing on various units including puck cooler and breakfast cooler [manager states gaskets are now on order]	NON-CRITICAL

**THE GRAND CAFE LLC**  
**107 E HIGH ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE INSPECTION	Occurred 03/21/16	Description	Status
		OBSERVED: Vent hood had an accumulation of grease and debris.	NON-CRITICAL

**THE OLD BRICK HOUSE DELI**  
**2421 W EDGEWOOD DR STE H**  
**JEFFERSON CITY, MO 65109**

ROUTINE INSPECTION	Occurred 03/22/16	Description	Status
		OBSERVED: interior bottom of storage cooler not clean.	NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

**WALGREENS #3017**  
**2002 MISSOURI BLVD**  
**JEFFERSON CITY, MO**

65109

Occurred

03/04/16

ROUTINE  
 INSPECTION  
 0

Description

Description

Status

No Violations Cited

**WALGREENS #09713**  
**3740 W TRUMAN BLVD**  
**JEFFERSON CITY, MO**

65109

Occurred

03/10/16

ROUTINE  
 INSPECTION

Description

Status

OBSERVED: Food items and debris on the floor under display racks in the Walk In Freezer. NON-CRITICAL

OBSERVED: Fan covers in the walk in cooler had dust accumulation. NON-CRITICAL

**WEST GATE LANES [CAPITAL BOWL]**  
**2017 CHRISTY DR**  
**JEFFERSON CITY, MO**

65101

Occurred

03/02/16

ROUTINE  
 INSPECTION

Description

Status

OBSERVED: numerous rodent droppings present in front counter service cabinet CRITICAL

OBSERVED: raw meat above ready to eat food found during storage in the Kenmore side by side cooler [ie, raw chicken above bread, cheese, lettuce] CRITICAL

OBSERVED: the floor tile present in the dish room, storeroom, and main bar are missing, chipped, or in poor repair NON-CRITICAL

OBSERVED: ready to eat potentially hazardous food found without date labeling present in the Coke 2 slide door cooler [ie, chopped ham, sliced tomatoes, cooked taco meat, etc] CRITICAL

OBSERVED: NON-CRITICAL

the following items were soiled and need cleaning: hood filters, fryers, beer walk in cooler fan cover and condenser

Description

Status

FOLLOW-UP  
 INSPECTION

Occurred

03/30/16

OBSERVED: floor tile present in the dish room, storeroom, and main bar are chipped, missing, or in poor repair NON-CRITICAL

OBSERVED: hood filters and fryers and floor under fryers still need cleaning of grease deposits and spilled food present NON-CRITICAL

OBSERVED: ice maker shatter plate corner is soiled with possible slime mold present, clean

OBSERVED: beer walk in cooler fan cover and condenser were cleaned of dust [ok]

OBSERVED: some old rodent pellets still present in corners of front counter service cabinet along with heavy dust, clean further NON-CRITICAL

**SONIC DRIVE IN--ELLIS**  
**314 ELLIS BLVD**  
**JEFFERSON CITY, MO**

65101

Occurred

03/03/16

ROUTINE  
 INSPECTION  
 0

Description

Status

No Violations Cited

Description

Status

FOLLOW-UP  
 INSPECTION  
 0

Occurred

03/11/16

No Violations Cited

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
<b>GERBES #118 SUPERSTORE--PRODUCE</b> 2101 SCHOTTHILL WOODS DR JEFFERSON CITY, MO 65101	Occurred	Description	Status
ROUTINE INSPECTION	03/14/16	OBSERVED: some walk in cooler ceiling areas need detail cleaning; front of "wet" case showing hard water deposits buildup	NON-CRITICAL
<b>WAL-MART SUPERCENTER #29 BAKERY</b> 724 W STADIUM BLVD JEFFERSON CITY, MO 65109	Occurred	Description	Status
ROUTINE INSPECTION	03/21/16	OBSERVED: Seal on the donut case was torn.	NON-CRITICAL
<b>CLARKE SENIOR CENTER</b> 1310 LINDEN DR JEFFERSON CITY, MO 65109	Occurred	Description	Status
ROUTINE INSPECTION	03/15/16	OBSERVED: damaged, or missing, paint present on floor under dish machine OBSERVED: floor drain covers plugged by soil and debris, will not let water through	NON-CRITICAL
<b>SUBWAY SANDWICH SHOP</b> 1850 RT C STE D JEFFERSON CITY, MO 65109	Occurred	Description	Status
ROUTINE INSPECTION	03/23/16	OBSERVED: No hand wash sign at the front hand wash sink.	NON-CRITICAL
<b>RED TAIL LOUNGE LLC</b> 623 E HIGH ST JEFFERSON CITY, MO 65101	Occurred	Description	Status
FOLLOW-UP INSPECTION 0	03/02/16	No Violations Cited	
<b>JACK IN THE BOX #6229</b> 2333 MISSOURI BLVD JEFFERSON CITY, MO 65109	Occurred	Description	Status
ROUTINE INSPECTION	03/08/16	OBSERVED: Single Serve cups stored on the floor. OBSERVED: Floors in the walk in freezer had food debris present. OBSERVED: Vent Hood over grill and fryer have debris present. OBSERVED: Bottom of the Randell freezer had debris present OBSERVED: Soda machine in the lobby had debris present OBSERVED: Soda machine in the drive thru had debris present OBSERVED: Seal on the True Refrigerator is torn. OBSERVED: Randell freezer has a bottom seal in the bottom	NON-CRITICAL NON-CRITICAL NON-CRITICAL NON-CRITICAL NON-CRITICAL NON-CRITICAL

CITY OF JEFFERSON  
Food Establishment Inspection Report  
Listing of Violations by Facility ID and Activity Date

Facility Name & Address  
**SAM'S CLUB #6505-DEMO**  
**849 STONERIDGE PKWY**  
**JEFFERSON CITY, MO 65109**  
Occurred  
ROUTINE 03/03/16  
INSPECTION  
0

Description

Description	Status
No Violations Cited	